




ELSEVIER

Contents lists available at [ScienceDirect](#)

## Journal of Clinical Anesthesia

journal homepage: [www.elsevier.com/locate/jclinane](http://www.elsevier.com/locate/jclinane)



### Erratum

## Erratum to “Hyperbaric oxygen treatment resistant carbon monoxide poisoning” [JCA 55 (2019) 102–102]



Serkan Ergözen ((MD))\*

*Muğla Sıtkı Koçman University School of Medicine, Underwater and Hyperbaric Medicine Department*

The Publisher regrets that this article is an accidental duplication of an article that has already been published in JCA 55 (2019) 102 - 102, <http://dx.doi.org/10.1016/j.jclinane.2018.12.035>. The duplicate article has therefore been withdrawn.

The full Elsevier Policy on Article Withdrawal can be found at <https://www.elsevier.com/about/our-business/policies/article-withdrawal>

DOI of original article: <https://doi.org/10.1016/j.jclinane.2018.12.035>

\* Corresponding author: Address: Muğla Sıtkı Koçman University School of Medicine, Underwater and Hyperbaric Medicine Department, Kötekli Mahallesi, Marmaris Yolu Bulvarı, No:50 48000/Menteşe/MUĞLA. Mobile phone: (+90) 530 657 88 56.

E-mail address: [serkanergozen@mu.edu.tr](mailto:serkanergozen@mu.edu.tr).

<https://doi.org/10.1016/j.jclinane.2019.02.015>